

Aqua Hawk® KQ-2

Aqueous Chelating Agent



Product Description

AQUA HAWK® KQ-2 is a 48-50% by weight aqueous solution of dipotassium ethylenediaminetetracetate (K_2H_2EDTA).

Applications

AQUA HAWK® KQ-2 is used to descale equipment in electrical power generation, chemical processing, refineries and other industrial plant applications when mineral and organic acids pose corrosion problems. KQ-2 also has applications in stainless steel passivation, removal of heavy metals in soil remediation, and to sequester minerals in process water to prevent scaling.

Equipment Compatibilities

Typical materials of construction are suitable for use including polypropylene, polyethylene, and PVC,. AH-KQ-2, in its concentrated form, may not be compatible with some elastomers, including natural rubbers and EPDM. Transfer pumps and tubing coming in contact with concentrated material should be Teflon™ or Teflon™ coated.

Appearance

- Transparent, light yellow liquid
- Odorless

Technical Specifications

- | | |
|---------------------------|----------|
| • Specific Gravity (25 C) | 1.275 |
| • Active content (%) | 50 |
| • pH value (1% in water) | 4.30 |
| • Water solubility | Complete |
| • Freezing point | 0° F |

Packaging

- 5-gallon non-returnable plastic pails
- 55-gallon non-returnable plastic drums
- 275-gallon non-returnable totes
- 330-gallon returnable totes (deposit required)
- Bulk

Storage Stability

- 24 months in sealed containers
- 12 months once seal is broken

Disposal

Dispose of container and unused contents in accordance with federal, state, and local requirements. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations.

Important Notice Regarding the Attached Information:

The statements, technical information and recommendations contained in the accompanying document(s) are based on tests and data that are believed to be reliable. Further, as the actual use of our products by others is beyond our control, no guarantee of any kind is made as to the effects of such use, or the results to be obtained, whether the use is made in accordance with the recommendations or suggestions contained herein or otherwise. The accompanying document(s) is not contractual and NOTHING HEREIN CONSTITUTES A REPRESENTATION OR WARRANTY THAT THE GOODS DESCRIBED ARE FIT FOR A PARTICULAR PURPOSE OF A CUSTOMER or that their use does not conflict with any existing patent rights. The exclusive source of any warranty and of any other customer rights whatsoever is on the Hawkins invoice. Also, since the accompanying data sheet(s) may be provided by electronic media, Hawkins cannot guarantee the accuracy or originality hereof. Any alterations made to the accompanying document(s) other than by Hawkins corporate headquarters is expressly prohibited.



SERVING CUSTOMERS SINCE 1938

800.328.5460
customer.service@hawkinsinc.com

www.hawkinsinc.com
TDS - 0214, V1 - 9.11.2019